

ELEMENTS MAKING UP THE LINE:**TABLES WITH METAL STRUCTURE:**

DESKS, VIDEO AND PRINTER TABLES, TYPING TABLES AND CONFERENCE TABLES consisting of the following elements:

WORKING TOPS:

They are made of wood conglomerate 30 mm thick coated with light grey or walnut coloured 7/10 laminate with rounded front edges in post-forming and side edges in ABS 2 mm thick. Metal plates 3 mm thick for table extensions. Light grey or anthracite mat lacquered adapters for connecting the flat side edge of a working top with the rounded front edge of another one.

METAL LEG:

Trestle-shaped leg composed of:

- N. 2 shaped-vertical tubes (diameter 40 mm 20/10 thick) joined to each other by two plates 20/10 thick with an inside 40x40 tube to allow the insertion of the beam. All semigloss-embossed aluminium coloured.
- Cases, ferrules and adjustable feet in ABS, available in the following colours: anthracite, blue, platinum grey, lilac, red and sea green.

METAL COLUMN:

It is made of tubular metal, diameter 100 mm, with top plate 5 mm thick. All semigloss-embossed aluminium coloured. Cold formed sheet metal base, diameter 300 mm, available in the following colours: anthracite, blue, platinum grey, lilac, red and sea green.

WIDE-BASE METAL COLUMN:

Used for conference tables, it is made of tubular metal, diameter 130 mm, with top plate 4 mm thick and cold formed sheet metal base diameter 600 mm. All semigloss-embossed aluminium coloured.

METAL BEAM:

It is made of a 60x30 mm rectangular-section steel tube with cold formed sheet metal side rails 1,5 mm thick to allow the pressure-insertion into the leg. All semigloss-embossed aluminium coloured.

MODESTY PANEL:

It is made of wood conglomerate 18 mm thick coated with light grey or walnut coloured melamine with ABS edge-profiles 2 mm thick, supplied with semigloss-embossed aluminium coloured shaped metal brackets 3 mm thick for the fastening to the desks' legs.

CARRYING PEDESTAL:

See pedestals.

WIRING MANAGEMENT:

- Horizontal, to place under the working tops. It is available in two versions to be ordered separately: semigloss-embossed aluminium coloured sheet metal cables channel, inspectable, 0,8 mm thick (shaped with a wide space to seat the cables), or rigid inspectable self-extinguishing PVC cables channel (grey).
- Two-way ABS cable-clip to be fastened to the vertical tubes of the leg available in the following colours: anthracite, blue, platinum grey, lilac, red and sea green. Available as optional in kits of 4 pieces.
- Flexible vertebra cable duct with ABS cable-clips to be placed under the working tops available in two versions: one with black and one with aluminium coloured ABS cable-clips.

ELECTRIFICATION:

Provided with a box with 3 Schuko-plugs (homologated in compliance with the standards in force), and the relative pre-set cable is furnished with a plug and connector. Both to be ordered separately.

TABLES ON CASTORS:

There are two kinds of castors that can be ordered separately:
- castor diam. 80 mm with locking brake, aluminium coloured in kits of 4 pieces to obtain tables H. 74 cm.
- castor diam. 75 mm with locking brake, aluminium coloured in kits of 4 pieces to obtain tables H. 72,5 cm.

HEIGHT ADJUSTMENT:

Tables, adjustable in height from 66 to 78 cm, are foreseen by using distance-rings of 3 cm each. In this case, the height regulation of the legs and carrying pedestals is obtained by kits of ABS rings, available in the following colours: anthracite, blue, platinum grey, lilac, red and sea green. The standard metal column is replaced by a height adjustable one semigloss-embossed aluminium coloured.

EXTENSIONS:**EXTENSIONS WITH CARRYING PEDESTALS.**

Working tops 30 mm thick made of wood conglomerate coated with light grey or walnut coloured laminate with rounded front edges in post-forming and side edges in ABS 2 mm thick. Carrying pedestals (see pedestals). Metal plates 3 mm thick for the connections.

PEDESTALS:**HANGING PEDESTAL, PEDESTALS ON CASTORS AND CARRYING PEDESTALS.**

They are made of wood conglomerate coated with light grey or walnut coloured laminate and melamine. The front edge of the top of the pedestals on castors and carrying pedestals are in 30 mm thick laminate with a rounded front edge in post-forming and the remaining edges in ABS 2 mm thick. Body and drawers' front panels 18 mm thick. Drawer's front panels with ABS edge-profiles 2 mm thick. The inside of the drawers 12 mm thick is lined with black PVC. Metal guides. The filing drawer is equipped with a metal rack for hanging folders interspace 33/39 cm. Lock with two keys, one of which bendable with black rubber key-cap. Black nylon castors. Hanging pedestal with black PVC spacers. Carrying pedestals with ABS spacers, ferrules and adjustable feet in the following colours: anthracite, blue, platinum grey, lilac, red and sea green.

TYPIST'S PEDESTAL.

Consisting of a body with 5 drawers (all made of black ABS). Grey or walnut coloured melamine top 18 mm thick.

BULL 3 SERIES

TECHNICAL CHARACTERISTICS • OPERATIVE LINE

PHOTOCOPIER UNIT:

It is made of wood conglomerate coated with light grey or walnut coloured laminate and melamine. Top in 30 mm thick laminate with a rounded front edge in post-forming and the remaining edges in ABS 2 mm thick. Base in 25 mm thick melamine. Sides, partition, adjustable shelves, back and door in 18 mm thick melamine. Door with ABS edge-profiles 2 mm thick. Black nylon castors.

CONNECTION AND END ELEMENTS:

Consisting of:

WORKING TOPS:

They are made of MDF 30 mm thick shaped and embossed-lacquered in anthracite colour. Metal plates 1,5 mm thick for the connections.

METAL COLUMN:

See tables.

SLIM METAL COLUMN:

It is made of tubular metal, diameter 80 mm with top plate 2 mm thick. All semigloss-embossed aluminium coloured. Adjustable black ABS foot.

FRONTAL PANELS:

They are made of MDF 10 mm thick, shaped and embossed-lacquered in the following colours: anthracite, blue, yellow, platinum grey, lilac, red and sea green. Supplied with n. 2 aluminium coloured clamps in aluminium for the fastening to the working top. A set of aluminium coloured sheet metal accessories is available to equip the frontal panels.

SHELVES:

They are made of MDF 22 mm thick, shaped and embossed lacquered in the following colours: anthracite, blue, yellow, platinum grey, lilac, red and sea green. Supplied with n. 2 aluminium coloured supporting arms in aluminium.

GREY OR BLACK PLASTIC HANDLES.

COLOUR FINISHINGS:

LAMINATE AND MELAMINE ELEMENTS:

G = Light grey coloured laminate and melamine (with grey handles)
S = Walnut coloured laminate and melamine (with black handles)

COLOURED AND LACQUERED ELEMENTS:

A = Anthracite
B = Blue
G = Platinum grey
H = Aluminium
L = Lilac
R = Red
V = Sea green
Z = Yellow

N.B. ALL METAL ELEMENTS ARE VARNISHED WITH EPOXY POWDERS.

STORAGE UNITS:

THE STORAGE UNITS ARE MODULAR, SUPERIMPOSABLE AND HAVE TO BE COMPLETED WITH TOPS TO BE ORDERED SEPARATELY.

Storage units are available in different versions: open-fronted, with wooden wing doors, glass wing doors, standard drawers and filing drawers. They consist of the following elements:

Bodies: they are made of wood conglomerate coated with light grey or walnut coloured melamine. Top, base, sides and back are 18 mm thick. Adjustable black ABS feet. Black or aluminium coloured base frame made of cold formed sheet metal height 2,8 cm (optional).

Shelves: the shelves can be positioned inside the storage unit body as needed. They are available in two versions:

- shelves in melamine 25 mm thick with the same finishing of the storage unit body.
- shelves in metal 25 mm thick (made of sheet metal 10/10 – it is possible to hook hanging folders with interspace 33 cm onto the underpart of the shelf), anthracite coloured for the bodies in walnut and aluminium coloured for the bodies in light grey.

Tops: they are made of wood conglomerate 28 mm thick coated with light grey or walnut coloured laminate with rounded front edge in post-forming.

Wooden wing doors: they are made of wood conglomerate 18 mm thick coated with light grey or walnut coloured melamine and edge-profiles in ABS 2 mm thick. The pair of low wooden doors and the fully high doors are equipped with lock and two keys, one of which bendable with black rubber key-cap. Adjustable metal hinges.

Glass wing doors: smoke-grey "tempered" glass 5 mm thick without lock. Adjustable metal hinges.

Optional:

medium or high doors with frame in anodised aluminium with smoke-grey "tempered" glass 4 mm thick; medium doors only with frame in black anodised aluminium with smoke-grey "tempered" glass 4 mm thick.

Rolling shutters: vertically running extruded PVC laths in grey finish. Lock with two keys, one of which bendable with grey rubber key-cap.

Drawers: drawer fronts in wood conglomerate 18 mm thick coated with light grey or walnut coloured melamine and edge-profiles in ABS 2 mm thick. The inside of the drawers 12 mm thick is lined with black PVC. Fully extractable metal guides. Lock with two keys, one of which bendable with black rubber key-cap.

Filing drawers: drawer fronts in wood conglomerate 18 mm thick coated with light grey or walnut coloured melamine and edge-profiles in ABS 2 mm thick. The metal rack contained in the drawer runs on fully extractable telescopic metal guides for fitting hanging folders interspace 33 cm for filing units L. 45 cm and interspace 33/39 cm for filing units L. 90 cm. Lock with two keys, one of which bendable with black rubber key-cap. The filing unit is provided with an anti-tilt device that does not allow to open the drawers simultaneously. It is possible to apply a "box" to the filing rack of each drawer to close it off; this "box" is made of black cold formed sheet metal and it is to be ordered separately (see Price List Accessories).

Wardrobe: supplied with a 25 mm thick melamine shelf and extractable chromium-plated coat-rack. Doors with ABS edge-profiles 2 mm thick equipped with lock with two keys, one of which bendable with black rubber key-cap.

GREY OR BLACK PLASTIC HANDLES.

COLOUR FINISHINGS:

LAMINATE AND MELAMINE ELEMENTS:

- G = Light grey coloured laminate and melamine (with grey handles)
S = Walnut coloured laminate and melamine (with black handles)

N.B. ALL METAL ELEMENTS ARE VARNISHED WITH EPOXY POWDERS.

BULL 3 • COUNTERS

TECHNICAL CHARACTERISTICS • COUNTERS

DESKS:

See technical characteristics: Bull 3 / Unik.

STORAGE UNITS:

See technical characteristics: Bull 3 / Unik.

COUNTERS:

- Top 30 mm thick made of wood conglomerate coated with light grey or walnut coloured laminate with rounded front edges in post-forming and side edges in ABS 0,45 mm thick.
- Sides 25 mm thick made of wood conglomerate coated with light grey or walnut coloured melamine and vertical edges in ABS 2 mm thick.
- Front panel 18 mm thick made of wood conglomerate coated with light grey or walnut coloured melamine.
- Adjustable black feet.

COUNTER CORNERS:

- Top 30 mm thick made of MDF embossed-lacquered in anthracite coloured.
- Base and shelves 25 mm thick made of wood conglomerate coated with light grey or walnut coloured melamine.
- Back-panel in 10/10 thick sheet metal lacquered in light grey or anthracite colour.
- Shelf for connecting desks 30 mm thick made of wood conglomerate coated with light grey or walnut coloured laminate.
- Adjustable black feet.

COUNTER ACCESSORIES:

The DRAWER UNIT made of wood conglomerate coated with light grey or walnut coloured melamine. Body and drawers' front 18 mm thick. Drawer front with ABS edge-profiles 2 mm thick. The inside of the drawer 12 mm thick is coated with black PVC. Metal guides.

GREY OR BLACK PLASTIC HANDLES.

THE COUNTERS SHOULD BE COMPLETED WITH THE ITEMS OF SERIES BULL 3 / UNIK.

LAMINATE AND MELAMINE ELEMENTS:

- G = Light grey coloured laminate and melamine (with grey handles)
S = Walnut coloured laminate and melamine (with black handles)

N.B. ALL METAL ELEMENTS ARE VARNISHED WITH EPOXY POWDERS.

COLOUR FINISHINGS: