

**TABLES WITH METAL STRUCTURE:****WORKING TOPS:**

**ELEMENTS MAKING UP THE LINE:**  
DESKS, VIDEO AND PRINTER TABLES, COMPACT / COMPOUND DESKS, TYPING TABLES AND CONFERENCE TABLES consisting of the following elements:

They are made of wood conglomerate 25 mm thick, coated with grey or walnut coloured melamine with front edges in anthracite coloured PVC and side edges in ABS. Metal plates 3 mm thick for typing tables. Anthracite mat lacquered wooden adapters for connecting the flat side edge of a working top with the rounded front edge of another one.

**METAL LEG:**

Trestle-shaped leg composed of:

- N. 2 shaped-vertical tubes (diameter 40 mm 20/10 thick) joined to each other by two plates 20/10 thick with an inside 40x40 tube to allow the insertion of the beam. All semigloss-embossed aluminium coloured.
- Cases, ferrules and adjustable feet in ABS are available in the following colours: anthracite, blue, platinum grey, lilac, red and sea green.

**METAL COLUMN:**

It is made of tubular metal, diameter 100 mm, with top plate 5 mm thick. All semigloss-embossed aluminium coloured. Cold formed sheet metal base, diameter 300 mm, available in the following colours: anthracite, blue, platinum grey, lilac, red and sea green.

**WIDE-BASE METAL COLUMN:**

Used for conference tables, it is made of tubular metal, diameter 130 mm, with top plate 4 mm thick and cold formed sheet metal base, diameter 600 mm. All semigloss-embossed aluminium coloured.

**METAL BEAM:**

It is made of a 60x30 mm rectangular-section steel tube with cold formed sheet metal side rails 1,5 mm thick to allow the pressure-insertion into the leg. All semigloss-embossed aluminium coloured.

**MODESTY PANEL:**

It is made of wood conglomerate 18 mm thick coated with grey or walnut coloured melamine with ABS edge-profiles 2 mm thick, supplied with semigloss-embossed aluminium coloured shaped metal brackets 3 mm thick for the fastening to the desks' legs.

**CARRYING PEDESTAL:**

See pedestals.

**WIRING MANAGEMENT:**

- Horizontal, to place under the working tops. It is available in two versions to be ordered separately: semigloss-embossed aluminium coloured sheet metal cables channel, inspectable, 0,8 mm thick (shaped with a wide space to seat the cables), or rigid inspectable self-extinguishing PVC cables channel (grey).
- Two-way ABS cable-clip to be fasten to the vertical tubes of the leg available in the following colours: anthracite, blue, platinum grey, lilac, red and sea green. Available as optional in kits of 4 pieces.
- Flexible vertebra cable duct with ABS cable-clips to be placed under the working tops available in two versions: one with black and one with aluminium coloured ABS cable-clips.

**ELECTRIFICATION:**

Provided with a box with 3 Schuko-plugs (homologated in compliance with the standards in force), and the relative pre-set cable is furnished with a plug and connector. Both to be ordered separately.

**TABLES ON CASTORS:**

There are two kinds of castors that can be ordered separately:  
- castor diam. 80 mm with locking brake, aluminium coloured in kits of 4 pieces to obtain tables H. 73,5 cm.  
- castor diam. 75 mm with locking brake, aluminium coloured in kits of 4 pieces to obtain tables H. 72 cm.

**HEIGHT ADJUSTMENT:**

Tables, adjustable in height from 66 to 78 cm, are foreseen by using distance-rings of 3 cm each. In this case, the height regulation of the legs and carrying pedestals is obtained by kits of ABS rings, available in the following colours: anthracite, blue, platinum grey, lilac, red and sea green. The standard metal column is replaced with a height adjustable one semigloss-embossed aluminium coloured.

**EXTENSIONS:****EXTENSIONS WITH CARRYING PEDESTALS.**

They are made of wood conglomerate 25 mm thick coated with grey or walnut coloured melamine with front edges in PVC and side edges in ABS both anthracite coloured. Carrying pedestals (see pedestals). Metal plates 3 mm thick for the connections.

**PEDESTALS:****HANGING PEDESTAL, PEDESTALS ON CASTORS AND CARRYING PEDESTALS.**

They are made of wood conglomerate coated with grey or walnut coloured melamine. Body (the front edge of the top of the pedestals on castors and carrying pedestals is profiled with PVC and the remaining edges are profiled with ABS 2 mm thick) and drawers' front panels 18 mm thick with ABS edge-profiles 2 mm thick. The inside of the drawers 12 mm thick is lined with black PVC. Metal guides. The filing drawer is equipped with a metal rack for hanging folders interspace 33/39 cm. Lock with two keys, one of which bendable with black rubber key-cap. Black nylon castors. Hanging pedestal with black PVC spacers. Carrying pedestals with ABS spacers, ferrules and adjustable feet in the following colours: anthracite, blue, platinum grey, lilac, red and sea green.

**TYPIST'S PEDESTAL.**

Consisting of a body with 5 drawers (all made of black ABS). Grey or walnut coloured melamine top 18 mm thick.

## BULL 2 SERIES

## TECHNICAL CHARACTERISTICS • OPERATIVE LINE

### PHOTOCOPIER UNIT:

It is made of wood conglomerate coated with grey or walnut coloured melamine. Top 25 mm thick with front edges in PVC and side edges in ABS both anthracite coloured. Base 25 mm thick. Back, sides, partition, adjustable shelves and door 18 mm thick. Door with ABS edge-profiles 2 mm thick. Black nylon castors.

### CONNECTION AND END ELEMENTS:

Consisting of:

#### WORKING TOPS:

They are made of wood conglomerate 25 mm thick coated with grey or walnut coloured melamine. The connecting sides have edges in ABS; the remaining edges are in PVC, both anthracite coloured. Metal plates 1,5 mm thick for the connections.

#### METAL COLUMN:

See tables.

#### SLIM METAL COLUMN:

It is made of tubular metal, diameter 80 mm, with top plate 2 mm thick. All semigloss-embossed aluminium coloured. Adjustable black ABS foot.

### FRONTAL PANELS:

They are made of MDF 10 mm thick, shaped and embossed-lacquered in the following colours: anthracite, blue, yellow, platinum grey, lilac, red and sea green. Supplied with n. 2 aluminium coloured clamps in aluminium for the fastening to the working top. A set of aluminium coloured sheet metal accessories is available to equip the frontal panels.

### SHELVES:

They are made of MDF 22 mm thick, shaped and embossed-lacquered in the following colours: anthracite, blue, yellow, platinum grey, lilac, red and sea green. Supplied with n. 2 aluminium coloured supporting arms in aluminium.

### ANTHRACITE OR BLACK PLASTIC HANDLES.

### COLOUR FINISHINGS:

#### MELAMINE ELEMENTS:

- G = Grey coloured melamine (with anthracite coloured PVC profiles and anthracite handles)
- S = Walnut coloured melamine (with anthracite coloured PVC profiles and black handles)

#### COLOURED AND LACQUERED ELEMENTS:

- A = Anthracite
- B = Blue
- G = Platinum grey
- H = Aluminium
- L = Lilac
- R = Red
- V = Sea green
- Z = Yellow

**N.B. ALL METAL ELEMENTS ARE VARNISHED WITH EPOXY POWDERS.**

**STORAGE UNITS:**

THE STORAGE UNITS ARE MODULAR, SUPERIMPOSABLE AND HAVE TO BE COMPLETED WITH TOPS TO BE ORDERED SEPARATELY.

Storage units are available in different versions: open-fronted, with wooden wing doors, glass wing doors, standard drawers and filing drawers. They consist of the following elements:

**Bodies:** they are made of wood conglomerate coated with grey or walnut coloured melamine. Top, base, sides and back are 18 mm thick. Adjustable black ABS feet. Black or aluminium coloured base frame made of cold formed sheet metal height 2,8 cm (optional).

**Shelves:** the shelves can be positioned inside the storage unit body as needed. They are available in two versions:

- shelves in melamine 25 mm thick with the same finishing of the storage unit body.
- shelves in metal 25 mm thick (made of sheet metal 10/10 – it is possible to hook hanging folders with interspace 33 cm onto the underpart of the shelf), anthracite coloured for the bodies in walnut and aluminium coloured for the bodies in grey.

**Tops:** they are made of wood conglomerate 25 mm thick coated with grey or walnut coloured melamine with anthracite coloured front edges in PVC.

**Wooden wing doors:** they are made of wood conglomerate 18 mm thick coated with grey or walnut coloured melamine and edge-profiles in ABS 2 mm thick. The pair of low wooden doors and the fully high doors are equipped with lock and two keys, one of which bendable with black rubber key-cap. Adjustable metal hinges.

**Glass wing doors:** smoke-grey “tempered” glass 5 mm thick without lock. Adjustable metal hinges.

Optional:

medium or high doors with frame in anodised aluminium with smoke-grey “tempered” glass 4 mm thick; medium doors only with frame in black anodised aluminium with smoke-grey “tempered” glass 4 mm thick.

**Rolling shutters:** vertically running extruded PVC laths in grey finish. Lock with two keys, one of which bendable with grey rubber key-cap.

**Drawers:** drawer fronts in wood conglomerate 18 mm thick coated with grey or walnut coloured melamine and edge-profiles in ABS 2 mm thick. The inside of the drawers 12 mm thick is lined with black PVC. Fully extractable metal guides. Lock with two keys, one of which bendable with black rubber key-cap.

**Filing drawers:** drawer fronts in wood conglomerate 18 mm thick coated with grey or walnut coloured melamine and edge-profiles in ABS 2 mm thick. The metal rack contained in the drawer runs on fully extractable telescopic metal guides for fitting hanging folders interspace 33 cm for filing units L. 45 cm and interspace 33/39 cm for filing units L. 90 cm. Lock with two keys, one of which bendable with black rubber key-cap. The filing unit is provided with an anti-tilt device that does not allow to open the drawers simultaneously. It is possible to apply a “box” to the filing rack of each drawer to close it off; this “box” is made of black cold formed sheet metal and it is to be ordered separately (see Price List Accessories).

**Wardrobe:** supplied with a melamine shelf 25 mm thick and extractable chromium-plated coat-rack. Doors with ABS edge-profiles 2 mm thick equipped with lock with two keys, one of which bendable with black rubber key-cap.

**ANTHRACITE OR BLACK PLASTIC HANDLES.**

**COLOUR FINISHINGS:**

MELAMINE ELEMENTS:

- G = Grey coloured melamine (with anthracite coloured PVC profiles and anthracite handles)
- S = Walnut coloured melamine (with anthracite coloured PVC profiles and black handles)

**N.B. ALL METAL ELEMENTS ARE VARNISHED WITH EPOXY POWDERS.**

## BULL 2 • COUNTERS

## TECHNICAL CHARACTERISTICS • COUNTERS

### DESKS:

See technical characteristics: Bik / Bull 2 / Shock.

### STORAGE UNITS:

See technical characteristics: Bik / Bull 2 / Shock.

### COUNTERS:

- Top 25 mm thick made of wood conglomerate coated with grey or walnut coloured melamine and front edges in anthracite coloured PVC.
- Sides 25 mm thick made of wood conglomerate coated with grey or walnut coloured melamine and vertical edges in ABS 2 mm thick.
- Front panel 18 mm thick made of wood conglomerate coated with grey or walnut coloured melamine.
- Adjustable black feet.

### COUNTER CORNERS:

They are made of wood conglomerate coated with grey or walnut coloured melamine. Top 25 mm thick with curved edges in anthracite coloured PVC. Sides 25 mm thick with vertical edges in ABS 2 mm thick. Base and shelves 25 mm thick. Back-panel in 10/10 thick sheet metal lacquered in grey or anthracite colour. Shelf for connecting desks 25 mm thick. Adjustable black feet.

### COUNTER ACCESSORIES:

The DRAWER UNIT is made of wood conglomerate coated with grey or walnut coloured melamine. Body and drawer front 18 mm thick. Drawer front with ABS edge-profiles 2 mm thick. The inside of the drawer 12 mm thick is lined with black PVC. Metal guides.

### ANTHRACITE OR BLACK PLASTIC HANDLES.

**THE COUNTERS SHOULD BE COMPLETED WITH THE ITEMS OF THE SERIES BIK / BULL 2 / SHOCK.**

### COLOUR FINISHINGS:

#### MELAMINE ELEMENTS:

- G = Grey coloured melamine (with anthracite coloured PVC profiles and anthracite handles)
- S = Walnut coloured melamine (with anthracite coloured PVC profiles and black handles)

**N.B. ALL METAL ELEMENTS ARE VARNISHED WITH EPOXY POWDERS.**